

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

EAST

6/4/04

L Number	Hits	Search Text	DB	Time stamp
1	8	wear with brak\$4 with rack with (cog or pinion or wheel or roller)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/04 11:51
2	1	1993-054038.NRAN.	DERWENT	2004/06/04 11:52
-	2	Severinsson.in. and	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/04 10:36
-		Persson.in. and	EPO; JPO; DERWENT	
-	3	Tormo.in. (("6129183") or ("6276494") or ("6105730")).PN.	USPAT; US-PGPUB	2004/06/04 10:00
-	7	ep adj2 "460378"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/04 10:01
-	3	wo adj "9407050"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/04 10:02
-	2	"19637406"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/04 10:02
-	1	digital adj sensor same wear same brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/04 10:37
-	31	code same wear same brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/04 10:40
-	1	1997-065527.NRAN.	DERWENT	2004/06/04 10:40
-	1	("6105730").PN.	USPAT; US-PGPUB	2004/06/04 10:44
-	2	6105730.URPN.	USPAT	2004/06/04 10:41
-	4	("4440268" "5253735" "5313159" "5757180").PN.	USPAT	2004/06/04 10:42

-	144	("6217131" "6217131" "6238011" "4602702" "5207299" "5377802" "5499705" "5992579" "6581728" "5628221" "5758535" "6095289" "5337878" "5848673" "5957246" "5922971" "5261513" "5358075" "5476122" "5909780" "6045076" "6119822" "6213259" "6213259" "6244391" "4318459" "4334602" "4345672" "5279394" "5316110" "5411120" "5551538" "5960912" "6233533" "6286637" "6371250" "5000294" "4620617" "5277278" "5615589" "5653153" "5680912" "5737985" "5931050" "5992278" "6047793" "6105730" "6412610" "6040665" "6122586").pn. ("6163742" "6186599" "6170619" "5433296" "4805740" "5251966" "5372408" "6112859" "4311051" "4418966" "4517632" "4821199" "4888997" "4937554" "5009279" "5012903" "5255760" "5378052" "5612893" "5459030" "5089839" "5474154" "5531509"	USPAT; US-PGPUB	2004/06/04 10:48
Search History 6/4/04 11:56:29 AM Page 2 C:\APPS\least\workspaces\70898398.wsp				

-	9	("6217131" "6217131" "6238011" "4602702" "5207299" "5377802" "5499705" "5992579" "6581728" "5628221" "5758535" "6095289" "5337878" "5848673" "5957246" "5922971" "5261513" "5358075" "5476122" "5909780" "6045076" "6119822" "6213259" "6213259" "6244391" "4318459" "4334602" "4345672" "5279394" "5316110" "5411120" "5551538" "5960912" "6233533" "6286637" "6371250" "5000294" "4620617" "5277278" "5615589" "5653153" "5680912" "5737985" "5931050" "5992278" "6047793" "6105730" "6412610" "6040665" "6122586").pn. ("6163742" "6186599" "6170619" "5433296" "4805740" "5251966" "5372408" "6112859" "4311051" "4418966" "4517632" "4821199" "4888997" "4937554" "5009279" "5012903" "5255760" "5378052" "5412893" "5450830" "5480848".wsp "5474154" "5531509"	USPAT; US-PGPUB	2004/06/04 10:51
Search History 6/4/04 11:56:28 AM Page 3 C:\APPS\least\workspaces\70808238.wsp				

-	8	wear with brak\$4 with rack with (cog or pinion or wheel or roller)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/04 11:50
---	---	---	---	------------------

PLUS 6/4

Butler, Douglas

From: PLUS
Sent: Wednesday, May 05, 2004 9:47 AM
To: Butler, Douglas
Subject: PLUS Results for 10670438

Here are the PLUS search results for 10670438.

This search was prepared by the staff of the Scientific and Technical Information Center, SIRA. If you have questions or comments about this search, please reply via email to PLUS@uspto.gov.



10670438_QUAL.txt



10670438_LIST.txt



10670438_WEST.txt



10670438_EAST.txt



10670438.east



10670438_CLS.txt



10670438_CLSTITLES.t



10670438_WDS.txt

xl

10670438_LIST

PLUS Search Results for S/N 10670438, Searched May 05, 2004

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

6217131	6163742	6293370
6217131	6186599	6367588
6238011	6170619	6397977
4602702	5433296	6471015
5207299	4805740	5195935
5377802	5251966	4467426
5499705	5372408	4246985
5992579	6112859	4354581
6581728	4311051	4494630
5628221	4418966	4771869
5758535	4517632	3848704
6095289	4821199	3835960
5337878	4888997	4030577
5848673	4937554	4294335
5957246	5009279	4392557
5922971	5012903	4429767
5261513	5255760	4570759
5358075	5378052	4623044
5476122	5410293	4865161
5909780	5450930	4867283
6045076	5474154	4982825
6119822	5531509	5201387
6213259	5572187	5219047
6213259	5599253	5529150
6244391	5667286	5607033
4318459	5677670	5950772
4334602	5695500	6003639
4345672	5753807	6016892
5279394	5787370	6068091
5316110	5788337	6092877
5411120	5832402	6161658
5551538	5842661	6213253
5960912	5855420	6220399
6233533	5923163	6213253
6286637	5934767	6220399
6371250	5934415	6340074
5000294	5950629	6386339
4620617	5976156	6607057
5277278	5984433	6684982
5615589	6024695	5570937
5653153	6068352	4311165
5680912	6124788	6109703
5737985	6145633	4627342
5931050	6168108	6129183
5992278	6215394	6176352
6047793	6224017	3675197
6105730	6215394	4174024
6412610	6224017	4359178
6040665	6231526	4433757
6122586	6250435	4569600

10670438_EAST

(6217131
6217131
6238011
4602702
5207299
5377802
5499705
5992579
6581728
5628221
5758535
6095289
5337878
5848673
5957246
5922971
5261513
5358075
5476122
5909780
6045076
6119822
6213259
6213259
6244391
4318459
4334602
4345672
5279394
5316110
5411120
5551538
5960912
6233533
6286637
6371250
5000294
4620617
5277278
5615589
5653153
5680912
5737985
5931050
5992278
6047793
6105730
6412610
6040665
6122586) .pn.
(6163742
6186599
6170619
5433296
4805740
5251966
5372408
6112859
4311051

• 4418966
4517632
4821199
4888997
4937554
5009279
5012903
5255760
5378052
5410293
5450930
5474154
5531509
5572187
5599253
5667286
5677670
5695500
5753807
5787370
5788337
5832402
5842661
5855420
5923163
5934767
5934415
5950629
5976156
5984433
6024695
6068352
6124788
6145633
6168108
6215394
6224017
6215394
6224017
6231526
6250435) .pn.
(6293370
6367588
6397977
6471015
5195935
4467426
4246985
4354581
4494630
4771869
3848704
3835960
4030577
4294335
4392557
4429767
4570759
4623044

10670438_EAST

•
•
4865161
4867283
4982825
5201387
5219047
5529150
5607033
5950772
6003639
6016892
6068091
6092877
6161658
6213253
6220399
6213253
6220399
6340074
6386339
6607057
6684982
5570937
4311165
6109703
4627342
6129183
6176352
3675197
4174024
4359178
4433757
4569600) .pn.

Most Frequently Occurring Classifications of Patents Returned
From A Search of 10670438 on May 05, 2004

Original Classifications

12 188/1.11L
10 188/71.8
9 188/71.9
6 188/1.11E
4 188/1.11W
4 188/26
4 340/454
3 188/112R
3 188/156
3 188/72.1
3 303/20
3 340/453
2 72/187
2 82/165
2 188/1.11R
2 188/18A
2 188/24.21
2 188/72.9
2 244/75R
2 303/112
2 303/155
2 303/3
2 606/130
2 701/49

Cross-Reference Classifications

16 188/1.11L
14 188/1.11R
12 188/1.11E
10 188/158
9 303/20
9 340/454
7 188/162
7 303/155
6 188/1.11W
6 188/196R
6 188/72.4
6 303/3
6 340/453
5 188/170
5 188/196BA
5 188/370
5 192/111A
4 188/181T
4 188/196D
4 188/196V
4 188/71.7
4 188/71.9
4 188/72.1
4 188/72.6
4 188/72.8
4 188/72.9
4 188/73.42
4 303/7

3 82/112
 3 116/208
 3 188/106F
 3 188/203
 3 188/24.22
 3 200/61.4
 3 303/113.4
 3 303/15
 3 702/148
 2 73/130
 2 82/146
 2 180/197
 2 188/134
 2 188/141
 2 188/171
 2 188/18A
 2 188/196B
 2 188/196M
 2 188/196P
 2 188/344
 2 188/71.1
 2 188/71.5
 2 188/72.5
 2 188/72.7
 2 188/73.31
 2 188/73.45
 2 188/85
 2 192/219.4
 2 192/30W
 2 192/90
 2 244/213
 2 279/8
 2 303/112
 2 303/147
 2 303/DIG 4
 2 324/207.2
 2 701/75

Combined Classifications

28 188/1.11L
 18 188/1.11E
 16 188/1.11R
 13 188/71.9
 13 340/454
 12 303/20
 11 188/158
 11 188/71.8
 10 188/1.11W
 9 303/155
 9 340/453
 8 303/3
 7 188/162
 7 188/72.1
 6 188/196BA
 6 188/196R
 6 188/72.4
 6 188/72.9
 5 188/170
 5 188/196D

5 188/370
5 188/71.7
5 188/72.8
5 192/111A
5 303/7
4 82/112
4 188/181T
4 188/18A
4 188/196V
4 188/203
4 188/26
4 188/72.6
4 188/73.42
4 303/112
4 303/113.4
3 116/208
3 180/197
3 188/106F
3 188/112R
3 188/156
3 188/24.22
3 188/73.31
3 192/90
3 200/61.4
3 303/15
3 702/148
2 72/187
2 73/121
2 73/130
2 82/146
2 82/165
2 188/134
2 188/141
2 188/171
2 188/181A
2 188/196B
2 188/196M
2 188/196P
2 188/24.21
2 188/344
2 188/71.1
2 188/71.5
2 188/72.5
2 188/72.7
2 188/73.32
2 188/73.45
2 188/79.51
2 188/79.55
2 188/85
2 192/219.4
2 192/30W
2 244/213
2 244/75R
2 279/8
2 303/147
2 303/9.61
2 303/DIG 4
2 324/207.2
2 606/130

10670438_CLS

2 701/49
2 701/72
2 701/74
2 701/75

10670438_CLSTITLES

Titles of Most Frequently Occurring Classifications of Patents Returned
From A Search of 10670438 on May 05, 2004

28 188/1.11L (12 OR, 16 XR)
Class 188 : BRAKES
188/1.11R WITH CONDITION INDICATOR
188/1.11W .Wear
188/1.11L ..Electrical

18 188/1.11E (6 OR, 12 XR)
Class 188 : BRAKES
188/1.11R WITH CONDITION INDICATOR
188/1.11E .Electrical

16 188/1.11R (2 OR, 14 XR)
Class 188 : BRAKES
188/1.11R WITH CONDITION INDICATOR

13 188/71.9 (9 OR, 4 XR)
Class 188 : BRAKES
188/67 ROD
188/71.1 .Axially movable brake element or housing
therefor
188/71.7 ..With means to adjust for wear of brake
188/71.8 ...Self-adjusting means
188/71.9Including unidirectionally rotating screw

13 340/454 (4 OR, 9 XR)
Class 340 : COMMUNICATIONS: ELECTRICAL
340/425.5 LAND VEHICLE ALARMS OR INDICATORS
340/438 .Internal alarm or indicator responsive to a
condition of the vehicle
340/453 ..Brake or clutch condition
340/454 ...Wear

12 303/20 (3 OR, 9 XR)
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
303/20 ELECTRIC CONTROL

11 188/158 (1 OR, 10 XR)
Class 188 : BRAKES
188/381 FRICTIONAL VIBRATION DAMPER
188/158 .Electric

11 188/71.8 (10 OR, 1 XR)
Class 188 : BRAKES
188/67 ROD
188/71.1 .Axially movable brake element or housing
therefor
188/71.7 ..With means to adjust for wear of brake
188/71.8 ...Self-adjusting means

10 188/1.11W (4 OR, 6 XR)
Class 188 : BRAKES
188/1.11R WITH CONDITION INDICATOR
188/1.11W .Wear

10670438_CLSTITLES

- 9 303/155 (2 OR, 7 XR)
 - Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
 - 303/121 SPEED-CONTROLLED
 - 303/155 .Braking pressure demand or braking force desire

- 9 340/453 (3 OR, 6 XR)
 - Class 340 : COMMUNICATIONS: ELECTRICAL
 - 340/425.5 LAND VEHICLE ALARMS OR INDICATORS
 - 340/438 .Internal alarm or indicator responsive to a condition of the vehicle
 - 340/453 ..Brake or clutch condition

- 8 303/3 (2 OR, 6 XR)
 - Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
 - 303/2 MULTIPLE SYSTEMS
 - 303/3 .Fluid pressure and electric

- 7 188/162 (0 OR, 7 XR)
 - Class 188 : BRAKES
 - 188/381 FRICTIONAL VIBRATION DAMPER
 - 188/158 .Electric
 - 188/161 ..Electromagnet
 - 188/162 ...Rotary motor

- 7 188/72.1 (3 OR, 4 XR)
 - Class 188 : BRAKES
 - 188/67 ROD
 - 188/71.1 .Axially movable brake element or housing therefor
 - 188/72.1 ..With means for actuating brake element

- 6 188/196BA (1 OR, 5 XR)
 - Class 188 : BRAKES
 - 188/381 FRICTIONAL VIBRATION DAMPER
 - 188/196R .Slack
 - 188/196B ..Ratchet
 - 188/196BA ...Rotatable

- 6 188/196R (0 OR, 6 XR)
 - Class 188 : BRAKES
 - 188/381 FRICTIONAL VIBRATION DAMPER
 - 188/196R .Slack

- 6 188/72.4 (0 OR, 6 XR)
 - Class 188 : BRAKES
 - 188/67 ROD
 - 188/71.1 .Axially movable brake element or housing therefor
 - 188/72.1 ..With means for actuating brake element
 - 188/72.4 ...By fluid pressure piston

- 6 188/72.9 (2 OR, 4 XR)
 - Class 188 : BRAKES
 - 188/67 ROD
 - 188/71.1 .Axially movable brake element or housing therefor
 - 188/72.1 ..With means for actuating brake element
 - 188/72.9 ...By pivoted lever

10670438_CLSTITLES

- 5 188/170 (0 OR, 5 XR)
 - Class 188 : BRAKES
 - 188/381 FRICTIONAL VIBRATION DAMPER
 - 188/166 .Spring
 - 188/170 ..Fluid-pressure release

- 5 188/196D (1 OR, 4 XR)
 - Class 188 : BRAKES
 - 188/381 FRICTIONAL VIBRATION DAMPER
 - 188/196R .Slack
 - 188/196D ..Frictional rotation

- 5 188/370 (0 OR, 5 XR)
 - Class 188 : BRAKES
 - 188/381 FRICTIONAL VIBRATION DAMPER
 - 188/151R .Fluid pressure
 - 188/152 ..Road vehicle
 - 188/361 ...Wheel brake operating assembly
 - 188/369With axially movable brake member
 - 188/370Spot type

- 5 188/71.7 (1 OR, 4 XR)
 - Class 188 : BRAKES
 - 188/67 ROD
 - 188/71.1 .Axially movable brake element or housing therefor
 - 188/71.7 ..With means to adjust for wear of brake

- 5 188/72.8 (1 OR, 4 XR)
 - Class 188 : BRAKES
 - 188/67 ROD
 - 188/71.1 .Axially movable brake element or housing therefor
 - 188/72.1 ..With means for actuating brake element
 - 188/72.7 ...By inclined surface (e.g., wedge, cam or screw)
 - 188/72.8Screw or helical cam

- 5 192/111A (0 OR, 5 XR)
 - Class 192 : CLUTCHES AND POWER-STOP CONTROL
 - 192/30R CLUTCHES
 - 192/111R .Wear compensators
 - 192/111A ..Automatic wear compensators

- 5 303/7 (1 OR, 4 XR)
 - Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
 - 303/5 MULTIPLE FLUID-RECEIVING DEVICES
 - 303/6.01 .Multiple motors
 - 303/7 ..Sectional train

- 4 82/112 (1 OR, 3 XR)
 - Class 082 : TURNING
 - 82/112 PORTABLE LATHE FOR BRAKE DRUM, DISC, OR SHOE

- 4 188/181T (0 OR, 4 XR)
 - Class 188 : BRAKES
 - 188/381 FRICTIONAL VIBRATION DAMPER
 - 188/174 .Weight

10670438_CLSTITLES

- 188/180 ..Regulators
- 188/181R ...Vehicle
- 188/181T Torque-responsive

- 4 188/18A (2 OR, 2 XR)
 - Class 188 : BRAKES
 - 188/2R VEHICLE
 - 188/17 .Hub or disk
 - 188/18R ..Motor vehicle
 - 188/18A ...Disc brakes

- 4 188/196V (0 OR, 4 XR)
 - Class 188 : BRAKES
 - 188/381 FRICTIONAL VIBRATION DAMPER
 - 188/196R .Slack
 - 188/196V ..Screw, shim or cam

- 4 188/203 (1 OR, 3 XR)
 - Class 188 : BRAKES
 - 188/381 FRICTIONAL VIBRATION DAMPER
 - 188/196R .Slack
 - 188/197 ..Railway car
 - 188/198 ...Automatic
 - 188/202 Screw
 - 188/203 Fluid-operated

- 4 188/26 (4 OR, 0 XR)
 - Class 188 : BRAKES
 - 188/2R VEHICLE
 - 188/24.11 .Velocipede (e.g., bicycle, etc.)
 - 188/26 ..Hub or disk

- 4 188/72.6 (0 OR, 4 XR)
 - Class 188 : BRAKES
 - 188/67 ROD
 - 188/71.1 .Axially movable brake element or housing
 therefor
 - 188/72.1 ..With means for actuating brake element
 - 188/72.4 ...By fluid pressure piston
 - 188/72.6 And/or mechanical linkage

- 4 188/73.42 (0 OR, 4 XR)
 - Class 188 : BRAKES
 - 188/67 ROD
 - 188/71.1 .Axially movable brake element or housing
 therefor
 - 188/73.31 ..Retainer for brake element
 - 188/73.41 ...Including actuator pivotable in plane
 parallel to axis of rotation of wheel
 - 188/73.42 And slidable in that plane

- 4 303/112 (2 OR, 2 XR)
 - Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
 - 303/121 SPEED-CONTROLLED
 - 303/112 .Torque sensing

- 4 303/113.4 (1 OR, 3 XR)
 - Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
 - 303/121 SPEED-CONTROLLED

10670438_CLSTITLES

- 303/113.1 .Having a valve system responsive to a wheel
lock signal
- 303/113.4 ..Including a stroke sensor
- 3 116/208 (0 OR, 3 XR)
Class 116 : SIGNALS AND INDICATORS
116/200 INDICATORS
116/208 .Element wear type
- 3 180/197 (1 OR, 2 XR)
Class 180 : MOTOR VEHICLES
180/197 WITH MEANS FOR DETECTING WHEEL SLIP DURING
VEHICLE ACCELERATION AND CONTROLLING IT BY REDUCING
APPLICATION OF POWER TO WHEEL
- 3 188/106F (0 OR, 3 XR)
Class 188 : BRAKES
188/381 FRICTIONAL VIBRATION DAMPER
188/105 .Multiple
188/106R ..Vehicle
188/106F ...Fluid and mechanical
- 3 188/112R (3 OR, 0 XR)
Class 188 : BRAKES
188/381 FRICTIONAL VIBRATION DAMPER
188/105 .Multiple
188/106R ..Vehicle
188/112R ...Train
- 3 188/156 (3 OR, 0 XR)
Class 188 : BRAKES
188/381 FRICTIONAL VIBRATION DAMPER
188/156 .Electric and mechanical
- 3 188/24.22 (0 OR, 3 XR)
Class 188 : BRAKES
188/2R VEHICLE
188/24.11 .Velocipede (e.g., bicycle, etc.)
188/24.12 ..Including mechanism for opposed gripping of
wheel rim or tire
188/24.22 ...Specific actuator element structure
- 3 188/73.31 (1 OR, 2 XR)
Class 188 : BRAKES
188/67 ROD
188/71.1 .Axially movable brake element or housing
therefor
188/73.31 ..Retainer for brake element
- 3 192/90 (1 OR, 2 XR)
Class 192 : CLUTCHES AND POWER-STOP CONTROL
192/30R CLUTCHES
192/82R .Operators
192/89.2 ..Spring engaged
192/90 ...Electric release
- 3 200/61.4 (0 OR, 3 XR)
Class 200 : ELECTRICITY: CIRCUIT MAKERS AND BREAKERS
200/52R SPECIAL APPLICATION

10670438_CLSTITLES

200/61.4 .Diameter responsive (e.g., wear)

- 3 303/15 (0 OR, 3 XR)
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
 303/13 MULTIPLE CONTROL
 303/15 .Fluid and electric
- 3 702/148 (0 OR, 3 XR)
 Class 702 : DATA PROCESSING: MEASURING, CALIBRATING, OR
 TESTING
 702/127 MEASUREMENT SYSTEM
 702/142 .Speed
 702/145 ..Rotational speed
 702/147 ...Specific mathematical operation performed
 702/148For wheel speed
- 2 72/187 (2 OR, 0 XR)
 Class 072 : METAL DEFORMING
 72/184 BY USE OF "FLYING TOOL" ENGAGING MOVING WORK
 72/187 .Included in plural deforming stations or
 passes
- 2 73/121 (1 OR, 1 XR)
 Class 073 : MEASURING AND TESTING
 73/121 BRAKE TESTING
- 2 73/130 (0 OR, 2 XR)
 Class 073 : MEASURING AND TESTING
 73/121 BRAKE TESTING
 73/130 .Single wheel rotating and resistance measuring
 means
- 2 82/146 (0 OR, 2 XR)
 Class 082 : TURNING
 82/117 LATHE
 82/142 .Headstock
 82/146 ..Spindle or work angler
- 2 82/165 (2 OR, 0 XR)
 Class 082 : TURNING
 82/165 WORK DRIVER
- 2 188/134 (0 OR, 2 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER
 188/110 .Automatic
 188/134 ..Differential movement
- 2 188/141 (0 OR, 2 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER
 188/110 .Automatic
 188/135 ..Momentum
 188/140R ...Vehicle
 188/141Fluid-pressure control
- 2 188/171 (0 OR, 2 XR)
 Class 188 : BRAKES
 188/381 FRICTIONAL VIBRATION DAMPER

10670438_CLSTITLES

- 188/166 .Spring
- 188/171 ..Electric release
- 2 188/181A (1 OR, 1 XR)
 - Class 188 : BRAKES
 - 188/381 FRICTIONAL VIBRATION DAMPER
 - 188/174 .Weight
 - 188/180 ..Regulators
 - 188/181R ...Vehicle
 - 188/181AAcceleration responsive
- 2 188/196B (0 OR, 2 XR)
 - Class 188 : BRAKES
 - 188/381 FRICTIONAL VIBRATION DAMPER
 - 188/196R .Slack
 - 188/196B ..Ratchet
- 2 188/196M (0 OR, 2 XR)
 - Class 188 : BRAKES
 - 188/381 FRICTIONAL VIBRATION DAMPER
 - 188/196R .Slack
 - 188/196M ..Manual
- 2 188/196P (0 OR, 2 XR)
 - Class 188 : BRAKES
 - 188/381 FRICTIONAL VIBRATION DAMPER
 - 188/196R .Slack
 - 188/196P ..Friction
- 2 188/24.21 (2 OR, 0 XR)
 - Class 188 : BRAKES
 - 188/2R VEHICLE
 - 188/24.11 .Velocipede (e.g., bicycle, etc.)
 - 188/24.12 ..Including mechanism for opposed gripping of
wheel rim or tire
 - 188/24.21 ...Having center-pull, cable-type actuator for
mechanism
- 2 188/344 (0 OR, 2 XR)
 - Class 188 : BRAKES
 - 188/381 FRICTIONAL VIBRATION DAMPER
 - 188/151R .Fluid pressure
 - 188/152 ..Road vehicle
 - 188/344 ...Velocipede
- 2 188/71.1 (0 OR, 2 XR)
 - Class 188 : BRAKES
 - 188/67 ROD
 - 188/71.1 .Axially movable brake element or housing
therefor
- 2 188/71.5 (0 OR, 2 XR)
 - Class 188 : BRAKES
 - 188/67 ROD
 - 188/71.1 .Axially movable brake element or housing
therefor
 - 188/71.5 ..Plural rotating elements (e.g., "multidisc")

10670438_CLSTITLES

- 2 188/72.5 (0 OR, 2 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/71.1 .Axially movable brake element or housing
 therefor
 188/72.1 ..With means for actuating brake element
 188/72.4 ...By fluid pressure piston
 188/72.5Piston for each of plural elements
- 2 188/72.7 (0 OR, 2 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/71.1 .Axially movable brake element or housing
 therefor
 188/72.1 ..With means for actuating brake element
 188/72.7 ...By inclined surface (e.g., wedge, cam or
 screw)
- 2 188/73.32 (1 OR, 1 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/71.1 .Axially movable brake element or housing
 therefor
 188/73.31 ..Retainer for brake element
 188/73.32 ...Having means to facilitate changing brake
 element
- 2 188/73.45 (0 OR, 2 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/71.1 .Axially movable brake element or housing
 therefor
 188/73.31 ..Retainer for brake element
 188/73.43 ...Including actuator slidable in plane
 parallel to axis of rotation of wheel
 188/73.44On axially extending pin
 188/73.45Plural pins
- 2 188/79.51 (1 OR, 1 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/74 .Transversely movable
 188/79.51 ..Having wear take up or compensating structure
- 2 188/79.55 (1 OR, 1 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/74 .Transversely movable
 188/79.51 ..Having wear take up or compensating structure

 188/79.55 ...Actuated by brake operating lever
- 2 188/85 (0 OR, 2 XR)
 Class 188 : BRAKES
 188/67 ROD
 188/85 .Intermittent
- 2 192/219.4 (0 OR, 2 XR)

10670438_CLSTITLES

- Class 192 : CLUTCHES AND POWER-STOP CONTROL
 192/215 TRANSMISSION AND BRAKE
 192/218 .Motor vehicle
 192/219 ..Transmission control affects brake
 192/219.4 ...Emergency or parking brake
- 2 192/30W (0 OR, 2 XR)
 Class 192 : CLUTCHES AND POWER-STOP CONTROL
 192/30R CLUTCHES
 192/30W .Warning, indicating, and signal devices
- 2 244/213 (0 OR, 2 XR)
 Class 244 : AERONAUTICS
 244/34R AIRCRAFT SUSTENTATION
 244/35R .Sustaining airfoils
 244/198 ..With lift modification
 244/201 ...Variable
 244/213By flap and/or spoiler
- 2 244/75R (2 OR, 0 XR)
 Class 244 : AERONAUTICS
 244/75R AIRCRAFT CONTROL
- 2 279/8 (0 OR, 2 XR)
 Class 279 : CHUCKS OR SOCKETS
 279/8 LONGITUDINAL SCREW CLAMP
- 2 303/147 (0 OR, 2 XR)
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
 303/121 SPEED-CONTROLLED
 303/146 .With yaw control
 303/147 ..From speed sensors
- 2 303/9.61 (1 OR, 1 XR)
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
 303/5 MULTIPLE FLUID-RECEIVING DEVICES
 303/6.01 .Multiple motors
 303/9.61 ..Separate and simultaneous control
- 2 303/DIG 4 (0 OR, 2 XR)
 Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
 303/DIG 2 BRAKE CONTROL BY PRESSURE COMPARISON
 303/DIG 3 .Electrical pressure sensor
 303/DIG 4 ..Pressure signal used in electrical speed
 controlled braking circuit
- 2 324/207.2 (0 OR, 2 XR)
 Class 324 : ELECTRICITY: MEASURING AND TESTING
 324/200 MAGNETIC
 324/207.11 .Displacement
 324/207.13 ..Having particular sensor means
 324/207.2 ...Hall effect
- 2 606/130 (2 OR, 0 XR)
 Class 606 : SURGERY
 606/1 INSTRUMENTS
 606/130 .Stereotaxic device
- 2 701/49 (2 OR, 0 XR)

10670438_CLSTITLES

Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND
RELATIVE LOCATION
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR
INDICATION
701/36 .Vehicle subsystem or accessory control
701/49 ..Vehicle equipment position control (e.g.,
seat, mirror, door, window, headrest, or headlamp)

2 701/72 (1 OR, 1 XR)

Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND
RELATIVE LOCATION
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR
INDICATION
701/70 .Indication or control of braking,
acceleration, or deceleration
701/71 ..Antiskid, antilock, or brake slip control
701/72 ...During cornering or turning of vehicle

2 701/74 (1 OR, 1 XR)

Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND
RELATIVE LOCATION
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR
INDICATION
701/70 .Indication or control of braking,
acceleration, or deceleration
701/71 ..Antiskid, antilock, or brake slip control
701/74 ...Having particular means to determine a
reference value for wheel slippage or pseudo-vehicle spee

d

2 701/75 (0 OR, 2 XR)

Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND
RELATIVE LOCATION
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR
INDICATION
701/70 .Indication or control of braking,
acceleration, or deceleration
701/71 ..Antiskid, antilock, or brake slip control
701/74 ...Having particular means to determine a
reference value for wheel slippage or pseudo-vehicle spe

ed

701/75Correction or modification